Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
M. L. Birnstiel
J. M. Bishop
M. S. Bretscher
C. R. Cantor
L. Caro
G. N. Cohen
W. F. Dove
G. A. Gilbert
W. Gilbert
A. Klug
D. E. Koshland
S. Lowey
M. F. Moody
D. Nathans
D. C. Phillips
F. M. Richards
T. Staehelin
P. M. B. Walker
J. C. Wang
S. M. Weissman

QH 501
J73

VOLUME 96
25 July 1975 to 25 August 1975

ACADEMIC PRESS
London New York San Francisco

Copyright © 1975, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

CONTENTS OF VOLUME 96

NUMBER 1, 25 JULY 1975

SILBERSTEIN, S., INOUYE, M. and STUDIER, F. W., Studies on the Role of Bacteriophage T7 Lysozyme during Phage Infection 1

KETNER, G. and CAMPBELL, A., Operator and Promoter Mutations Affecting Divergent Transcription in the *bio* Gene Cluster of *Escherichia coli* . . . 13

CHOU, P. Y., ADLER, A. J. and FASMAN, G. D., Conformational Prediction and Circular Dichroism Studies on the *lac* Repressor 29

FLINT, S. J., GALLIMORE, P. H. and SHARP, P. A., Comparison of Viral RNA Sequences in Adenovirus 2-transformed and Lytically Infected Cells. . . 47

IKEMURA, T., SHIMURA, Y., SAKANO, H. and OZEKI, H., Precursor Molecules of *Escherichia coli* Transfer RNAs Accumulated in a Temperature-sensitive Mutant 69

BUKHARI, A. I., Reversal of Mutator Phage Mu Integration 87

URRY, D. W., MITCHELL, L. W., OHNISHI, T. and LONG, M. M., Proton and Carbon Magnetic Resonance Studies of the Synthetic Polypentapeptide of Elastin 101

LEISTER, D. E. and DAWID, I. B., Mitochondrial Ribosomal Proteins in *Xenopus laevis*/*X. mulleri* Interspecific Hybrids 119

PICHON, J., MARVALDI, J. and MARCHIS-MOUREN, G., The *In Vivo* Order of Protein Addition in the Course of *Escherichia coli* 30 S and 50 S Subunit Biogenesis 125

BRACK, C. and PIRROTTA, V., Electron Microscopic Study of the Repressor of Bacteriophage λ and its Interaction with Operator DNA 139

CHEN, G. S. and SIDDIQUI, M. A. Q., Biosynthesis of Transfer RNA: Isolation and Characterization of Precursors to Transfer RNA in the Posterior Silkgland of *Bombyx mori* 153

DUGAICZYK, A., BOYER, H. W. and GOODMAN, H. M., Ligation of *Eco*RI Endonuclease-generated DNA Fragments into Linear and Circular Structures 171

NATHANSON, N. M. and SCHLEIF, R., Paucity of Sites Mutable to Constitutivity in the *araC* Activator Gene of the L-Arabinose Operon of *Escherichia coli* . 185

STAUDENBAUER, W. L., Novobiocin—A Specific Inhibitor of Semiconservative DNA Replication in Permeabilized *Escherichia coli* Cells . . . 201

LAMBOWITZ, A. M. and LUCK, D. J. L., Methylation of Mitochondrial RNA Species in the Wild-type and *poky* Strains of *Neurospora crassa* . . 207

ANNOUNCEMENT 215

ERRATUM 216

NUMBER 2, 5 AUGUST 1975

GIORNO, R., STAMATO, T., LYDERSEN, B. and PETTIJOHN, D., Transcription *in vitro* of DNA in Isolated Bacterial Nucleoids 217

ROSS, P. D., HOFRICHTER, J. and EATON, W. A., Calorimetric and Optical Characterization of Sickle Cell Hemoglobin Gelation 239

Appendix—HOFRICHTER J., An Analysis of the Birefringence Intensity of Gels of Hemoglobin *S* 254

ITO, K., IWAKURA, Y. and ISHIHAMA, A., Biosynthesis of RNA Polymerase in *Escherichia coli*. III. Identification of Intermediates in the Assembly of RNA Polymerase 257

WOLFNER, M., YEP, D., MESSENGUY, F. and FINK, G.R., Integration of Amino Acid Biosynthesis into the Cell Cycle of *Saccharomyces cerevisiae* . . 273

COSTANTINO, P. and ATTARDI, G., Identification of Discrete Electrophoretic Components among the Products of Mitochondrial Protein Synthesis in HeLa Cells 291

BRICKMAN, E. and BECKWITH, J., Analysis of the Regulation of *Escherichia coli* Alkaline Phosphatase Synthesis using Deletions and ϕ80 Transducing Phages 307

CHAMBERLIN, M. E., BRITTEN, R. J. and DAVIDSON, E. H., Sequence Organization in *Xenopus* DNA Studied by the Electron Mircoscope . . . 317

BROWN, S. and COLEMAN G., Stability of Rapidly Labelled Messenger Ribonucleic Acid in *Bacillus amyloliquefaciens* during the Phases of Minimum and Maximum Extracellular Enzyme Formation 335

BROWN, S. and COLEMAN, G., Messenger Ribonucleic Acid Content of *Bacillus amyloliquefaciens* throughout its Growth Cycle compared with *Bacillus subtilis* 168 345

NUMBER 3, 15 AUGUST 1975

KUMAR, A. and PEDERSON, T., Comparison of Proteins Bound to Heterogeneous Nuclear RNA and Messenger RNA in HeLa Cells 353

DOUZOU, P., HOA, G. H. B. and PETSKO, G. A., Protein Crystallography at Sub-zero Temperatures: Lysozyme–Substrate Complexes in Cooled Mixed Solvents 367

PETSKO, G. A., Protein Crystallography at Sub-zero Temperatures: Cryoprotective Mother Liquors for Protein Crystals 381

YOUNG, E. T., Analysis of Bacteriophage T4 Chloramphenicol RNA by DNA–RNA Hybridization and by Cell-free Protein Synthesis, and the Effect of *Escherichia coli* Polarity-suppressing Alleles on its Synthesis . . . 393

SPERLING, R. and KLUG, A., States of Aggregation of the *Dahlemense* Strain of Tobacco Mosaic Virus Protein and their Relation to Crystal Formation . 425

HILLS, G. J., PHILLIPS, J. M., GAY, M. R. and ROBERTS, K., Self-assembly of a Plant Cell Wall *in vitro* 431

NASHIMOTO, H. and UCHIDA, H., Late Steps in the Assembly of 30 S Ribosomal Proteins *in vivo* in a Spectinomycin-resistant Mutant of *Escherichia coli* . 443

JONES, K. W. and MURRAY, K., A Procedure for Detection of Heterologous DNA Sequences in Lambdoid Phage by *in situ* Hybridization . . . 455

HARRISON, D. P. and BODE, V. C., Putrescine and Certain Polyamines Can Inhibit DNA Injection from Bacteriophage Lambda 461

VOGT, V. M., EISENMAN, R. and DIGGELMANN, H., Generation of Avian Myeloblastosis Virus Structural Proteins by Proteolytic Cleavage of a Precursor Polypeptide 471

ENEA, V., VOVIS, G. F. and ZINDER, N. D., Genetic Studies with Heteroduplex DNA of Bacteriophage f1. Asymmetric Segregation, Base Correction and Implications for the Mechanism of Genetic Recombination . . . 495

ANNOUNCEMENT 511

NUMBER 4, 25 AUGUST 1975

WU, R. and GEIDUSCHEK, E. P., The Role of Replication Proteins in the Regulation of Bacteriophage T4 Transcription. I. Gene *45* and Hydroxymethyl-C-containing DNA 513

Wu, R., Geiduschek, E. P. and Cascino, A., The Role of Replication Proteins in the Regulation of Bacteriophage T4 Transcription. II. Gene *45* and Late Transcription Uncoupled from Replication 539

Takahashi, H., Coppo, A., Manzi, A., Martire, G. and Pulitzer, J. F., Design of a System of Conditional Lethal Mutations (*tab/k/com*) Affecting Protein–Protein Interactions in Bacteriophage T4-infected *Escherichia coli* . . 563

Coppo, A., Manzi, A., Pulitzer, J. F. and Takahashi, H., Host Mutant (*tab* D)-induced Inhibition of Bacteriophage T4 Late Transcription. I. Isolation and Phenotypic Characterization of the Mutants 579

Coppo, A., Manzi, A., Pulitzer, J. F. and Takahashi, H., Host Mutant (*tab* D)-induced Inhibition of Bacteriophage T4 Late Transcription. II. Genetic Characterization of Mutants 601

Lalitha, S. and Worthington, C. R., The Swelling Property of Central Nervous System Nerves using X-ray Diffraction 625

Kondoh, H. and Yanagida, M., Structure of Straight Flagellar Filaments from a Mutant of *Escherichia coli* 641

Kurosawa, Y., Ogawa, T., Hirose, S., Okazaki, T. and Okazaki, R., Mechanism of DNA Chain Growth. XV. RNA-linked Nascent DNA Pieces in *Escherichia coli* Strains Assayed with Spleen Exonuclease . . . 653

Endow, S. A., Polan, M. L. and Gall, J. G., Satellite DNA Sequences of *Drosophila melanogaster* 665

Brack, C., Bickle, T. A. and Yuan, R., The Relation of Single-Stranded Regions in Bacteriophage PM2 Supercoiled DNA to the Early Melting Sequences 693

Air, G. M., Blackburn, E. H., Sanger, F. and Coulson, A. R., The Nucleotide and Amino Acid Sequences of the N (5′) Terminal Region of Gene *G* of Bacteriophage ϕX174 703

Finney, J. L., Volume Occupation, Environment and Accessibility in Proteins. The Problem of the Protein Surface 721

Briehl, R. W. and Salhany, J. M., Gelation of Sickle Hemoglobin. III. Nitrosyl Hemoglobin 733

Rudland, P. S., Weil, S. and Hunter, A. R., Changes in RNA Metabolism and Accumulation of Presumptive Messenger RNA During Transition from the Growing to the Quiescent State of Cultured Mouse Fibroblasts . . 745

Creighton, T. E., Interactions between Cysteine Residues as Probes of Protein Conformation: The Disulphide Bond between Cys-14 and Cys-38 of the Pancreatic Trypsin Inhibitor 767

LETTERS TO THE EDITOR

CREIGHTON, T. E., Reactivities of the Cysteine Residues of the Reduced Pancreatic Trypsin Inhibitor 777

YOUNG, B. D. and PAUL, J., Absence from the Mouse Genome of DNA Sequences Related to the Globin Gene Family 783

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_july-25-august-25-1975_96_contents

Index to Volume 96

Adenovirus 2-transformed cells, comparison of viral RNA sequences with those in lytically infected cells, 47

Adler, A. J. (see also Chou, P. Y.), 29

Aggregation states of the *dahlemense* strain of tobacco mosaic virus protein and their relation to crystal formation, 425

Air, G. M., Blackburn, E. H., Sanger, F. & Coulson, A. R., The nucleotide and amino acid sequences of the N (5′) terminal region of gene *G* of bacteriophage ϕX174, 703

Alkaline phosphatase of *Escherichia coli*, analysis of the regulation of its synthesis using deletions and ϕ80 transducing phages, 307

Alleles, polarity-suppressing, of *Escherichia coli*, effect on the synthesis of bacteriophage T4 chloramphenicol RNA, and its analysis by DNA–RNA hybridization and by cell-free protein synthesis, 393

Amino acid and nucleotide sequences of the N (5′) terminal region of gene G of bacteriophage ϕX174, 703

— — biosynthesis, integration into the cell cycle of *Saccharomyces cerevisiae*, 273

araC activator gene of the L-arabinose operon of *Escherichia coli*, paucity of sites mutable to constitutivity, 185

L-Arabinose operon of *Escherichia coli*, paucity of sites mutable to constitutivity in the *araC* activator gene, 185

Assembly of RNA polymerase in *Escherichia coli*, identification of intermediates, 257

— — 30 S ribosomal proteins *in vivo* in a spectinomycin-resistant mutant of *Escherichia coli*, late steps, 443

—, self-, of a plant cell wall *in vitro*, 431

Attardi, G. (see also Costantino, P.), 291

Avian myeloblastosis virus structural proteins generated by proteolytic cleavage of a precursor polypeptide, 471

Bacillus amyloliquefaciens, mRNA content throughout its growth cycle compared with *Bacillus subtilis* 168, 345

— —, stability of rapidly labelled mRNA during the phases of minimum and maximum extracellular enzyme formation, 335

— *subtilis* 168, mRNA content throughout its growth cycle compared with *Bacillus amyloliquefaciens*, 345

Bacteriophage f1 heteroduplex DNA used in genetic studies. Asymmetric segregation, base correction and implications for the mechanism of genetic recombination, 495

— λ: a procedure for detection of heterologous DNA sequences in lambdoid phage by *in situ* hybridization, 455

— — DNA injection inhibited by putrescine and certain polyamines, 461

— —repressor and its interaction with operator DNA, electron microscopic study, 139

— mu, mutator, reversal of integration, 87

— ϕ80, transducing, and deletions used in analysis of the regulation of *Escherichia coli* alkaline phosphatase synthesis, 307

— ϕX174, nucleotide and amino acid sequences of the N (5′) terminal region of gene *G*, 703

— PM2 supercoiled DNA, relation of single-stranded regions to the early melting sequences, 693

— T4 chloramphenicol RNA, analysis by DNA–RNA hybridization and by cell-free protein synthesis, and the effect of *Escherichia coli* polarity-suppressing alleles on its synthesis, 393

— —, host mutant (*tab* D)-induced inhibition of late transcription; genetic characterization of mutants, 601

— —, host mutant (*tab* D)-induced inhibition of late transcription; isolation and phenotypic characterization of the mutants, 579

— —transcription regulation, role of replication proteins; gene *45* and hydroxymethyl-C-containing DNA, 513

— — — — — — — —; gene *45* and late transcription uncoupled from replication, 539

— — -infected *Escherichia coli*, design of a system of conditional lethal mutations (*tab*/*k*/*com*) affecting protein–protein interactions, 563

— T7 lysozyme, role during phage infection, 1

Beckwith, J. (see also Brickman, E.), 307

Bickle, T. A. (see also Brack, C.), 693
bio gene cluster of *Escherichia coli*, operator and promoter mutations affecting divergent transcription, 13
Biogenesis of *Escherichia coli* 30 S and 50 S subunits, *in vivo* order of protein addition, 125
Biosynthesis of amino acids, integration into the cell cycle of *Saccharomyces cerevisiae*, 273
— —RNA polymerase in *Escherichia coli*. III. Identification of intermediates in the assembly of RNA polymerase, 257
— — tRNA: isolation and characterization of precursors to tRNA in the posterior silkgland of *Bombyx mori*, 153
Birefringence intensity of gels of hemoglobin S, 254
Blackburn, E. H. (see also Air, G. M.), 703
Bode, V. C. (see also Harrison, D. P.), 461
Bombyx mori, isolation and characterization of precursors to tRNA in the posterior silkgland, 153
Boyer, H. W. (see also Dugaiczyk, A.), 171
Brack, C., Bickle, T. A. & Yuan, R., The relation of single-stranded regions in bacteriophage PM2 supercoiled DNA to the early melting sequences, 693
— & Pirrotta, V., Electron microscopic study of the repressor of bacteriophage λ and its interaction with operator DNA, 139
Brickman, E. & Beckwith, J., Analysis of the regulation of *Escherichia coli* alkaline phosphatase synthesis using deletions and φ80 transducing phages, 307
Briehl, R. W. & Salhany, J. M., Gelation of sickle hemoglobin. III. Nitrosyl hemoglobin, 733
Britten, R. J. (see also Chamberlin, M. E.), 317
Brown, S. & Coleman, G., Messenger RNA content of *Bacillus amyloliquefaciens* throughout its growth cycle compared with *Bacillus subtilis* 168, 345
— —, Stability of rapidly labelled mRNA in *Bacillus amyloliquefaciens* during the phases of minimum and maximum extracellular enzyme formation, 335
Bukhari, A. I., Reversal of mutator phage mu integration, 87

Calorimetric and optical characterization of sickle cell hemoglobin gelation, 239
Campbell, A. (see also Ketner, G.), 13
Carbon and proton magnetic resonance studies of the synthetic polypentapeptide of elastin, 101
Cascino, A. (see also Wu, R.), 539
Cell cycle of *Saccharomyces cerevisiae*, integration of amino acid biosynthesis, 273
Cell wall of *Chlamydomonas reinhardi*, self-assembly *in vitro*, 431
Chamberlin, M. E., Britten, R. J. & Davidson, E. H., Sequence organization in *Xenopus* DNA studied by the electron microscope, 317
Chen, G. S. & Siddiqui, M. A. Q., Biosynthesis of tRNA: isolation and characterization of precursors of tRNA in the posterior silkgland of *Bombyx mori*, 153
Chlamydomonas reinhardi cell wall self-assembly *in vitro*, 431
Chloramphenicol RNA of bacteriophage T4, analysis by DNA–RNA hybridization and by cell-free protein synthesis, and the effect of *Escherichia coli* polarity-suppressing alleles on its synthesis, 393
Chou, P. Y., Adler, A. J. & Fasman, G. D., Conformational prediction and circular dichroism studies on the *lac* repressor, 29
Circular dichroism studies on the *lac* repressor and conformational prediction, 29
Cleavage, proteolytic, of a precursor polypeptide generates avian myeloblastosis virus structural proteins, 471
Coleman, G. (see also Brown, S.), 335, 345
Conformational prediction and circular dichroism studies on the *lac* repressor, 29
Constitutive site paucity in the *ara*C activator gene of the L-arabinose operon of *Escherichia coli*. 185
Coppo, A., Manzi, A., Pulitzer, J. F. & Takahashi, H., Host mutant (*tab* D)-induced inhibition of bacteriophage T4 late transcription. I. Isolation and phenotypic characterization of the mutants, 579
— — — —, Host mutant (*tab* D)-induced inhibition of bacteriophage T4 late transcription. II. Genetic characterization of mutants, 601
Coppo, A. (see also Takahashi, H.), 563
Costantino, P. & Attardi, G., Identification of discrete electrophoretic components among the products of mitochondrial protein synthesis in HeLa cells, 291
Coulson, A. R. (see also Air, G. M.), 703
Creighton, T. E., Interactions between cysteine residues as probes of protein conformation: the disulphide bond between cys-14 and cys-38 of the pancreatic trypsin inhibitor, 767
—, Reactivities of the cysteine residues of the reduced pancreatic trypsin inhibitor, 777

Crystal formation, relation of states of aggregation of the *dahlemense* strain of tobacco mosaic virus protein, 425
Crystallography of proteins at sub-zero temperatures: cryo-protective mother liquors for protein crystals, 381
— — — — — —: lysozyme-substrate complexes in cooled mixed solvents, 367
Cysteine residue interactions as probes of protein conformation: the disulphide bond between cys-14 and cys-38 of the pancreatic trypsin inhibitor, 767
— — reactivities of the reduced pancreatic trypsin inhibitor, 777

Dahlemense strain of tobacco mosaic virus, states of aggregation of protein and their relation to crystal formation, 425
Davidson, E. H. (see also Chamberlin, M. E.), 317
Dawid, I. B. (see also Leister, D. E.), 119
DNA chain growth mechanism: RNA-linked nascent DNA pieces in *Escherichia coli* strains assayed with spleen exonuclease, 653
— fragments, *Eco*RI endonuclease-generated, ligation into linear and circular structures, 171
—, heteroduplex, of bacteriophage f1 used in genetic studies. Asymmetric segregation, base correction and implications for the mechanism of genetic recombination, 495
—, hydroxymethyl-C-containing, and gene *45*; role of replication proteins in the regulation of bacteriophage T4 transcription, 513
— injection from bacteriophage λ inhibited by putrescine and certain polyamines, 461
— of *Xenopus*, sequence organization studied by the electron microscope, 317
—, operator, interaction with repressor of bacteriophage λ, electron microscopic study, 139
— replication, semiconservative, in permeabilized *Escherichia coli* cells, specific inhibition by novobiocin, 201
— — RNA hybridization and cell-free protein synthesis used in analysis of bacteriophage T4 chloramphenicol RNA, and the effect of *Escherichia coli* polarity-suppressing alleles on its synthesis, 393
— satellite sequences of *Drosophila melanogaster*, 665
— sequences, heterologous, detected in lambdoid phage by *in situ* hybridization, 455
— — related to the globin gene family absent from the mouse genome, 783
—, supercoiled, of bacteriophage PM2, relation of single-stranded regions to the early melting sequences, 693
—, transcription *in vitro* in isolated bacterial nucleoids, 217
Dichroism, circular, studies on the *lac* repressor and conformational prediction, 29
Diggelmann, H. (see also Vogt, V. M.), 471
Disulphide bond between cys-14 and cys-38 of the pancreatic trypsin inhibitor; interactions between cysteine residues as probes of protein conformation, 767
Douzou, P., Hoa, G. H. B. & Petsko, G. A. Protein crystallography at sub-zero temperatures: lysozyme–substrate complexes in cooled mixed solvents, 367
Drosophila melanogaster satellite DNA sequences, 665
Dugaiczyk, A. Boyer, H. W. & Goodman, H. M., Ligation of *Eco*RI endonuclease-generated DNA fragments into linear and circular structures, 171

Eaton, W. A. (see also Ross, P. D.), 239
*Eco*RI endonuclease-generated DNA fragments, ligation into linear and circular structures, 171
Eisenman, R. (see also Vogt, V. M.), 471
Elastin synthetic polypentapeptide, proton and carbon magnetic resonance studies, 101
— microscope study of sequence organization in *Xenopus* DNA, 317
Electron microscope study of the repressor of bacteriophage λ and its interaction with operator DNA, 139
Electrophoretic components, discrete, identified among the products of mitochondrial protein synthesis in HeLa cells, 291
Endow, S. A., Polan, M. L. & Gall, J. G., Satellite DNA sequences of *Drosophila melanogaster*, 665
Enea, V., Vovis, G. F. & Zinder, N. D., Genetic studies with heteroduplex DNA of bacteriophage f1. Asymmetric segregation base correction and implications for the mechanism of genetic recombination, 495
Escherichia coli alkaline phosphatase synthesis regulation, analysis using deletions and φ80 transducing phages, 307
— —, bacteriophage T4-infected, design of a system of conditional lethal mutations (*tab/k/com*) affecting protein–protein interactions. 563

Escherichia coli cells, permeabilized, specific inhibition by novobiocin of semiconservative DNA replication, 201
— —, late steps in the assembly of 30 S ribosomal proteins *in vivo* in a spectinomycin-resistant mutant, 443
— —, operator and promoter mutations affecting divergent transcription in the *bio* gene cluster, 13
— —, paucity of sites mutable to constitutivity in the *araC* activator gene of the L-arabinose operon, 185
— —polarity-suppressing alleles, effect on synthesis of bacteriophage T4 chloramphenicol RNA, and its analysis by DNA–RNA hybridization and by cell-free protein synthesis, 393
— — 30 S and 50 S subunit biogenesis *in vivo*, order of protein addition, 125
— — strains, RNA-linked nascent DNA pieces assayed with spleen exonuclease; mechanism of DNA chain growth, 653
— —, structure of straight flagellar filaments from a mutant, 641
— — tRNA precursor molecules accumulated in a temperature-sensitive mutant, 69
Exonuclease, spleen, used in assay of RNA-linked nascent DNA pieces in *Escherichia coli* strains; mechanism of DNA chain growth, 653

f1 (see Bacteriophage), 495
Fasman, G. D. (see also Chou, P. Y.), 29
Fibroblasts, mouse, cultured, changes in RNA metabolism and accumulation of presumptive mRNA during transition from the growing to the quiescent state, 745
Filaments, flagellar, straight, from a mutant of *Escherichia coli*, study of structure, 641
Fink, G. R. (see also Wolfner, M.), 273
Finney, J. L., Volume occupation, environment and accessibility in proteins. The problem of the protein surface, 721
Flagellar filaments, straight, from a mutant of *Escherichia coli*, study of structure, 641
Flint, S. J., Gallimore, P. H. & Sharp, P. A., Comparison of viral RNA sequences in adenovirus 2-transformed and lytically infected cells, 47

Gall, J. G. (see also Endow, S. A.), 665
Gallimore, P. H. (see also Flint, S. J.), 47
Gay, M. R. (see also Hills, G. J.), 431
Geiduschek, E. P. (see also Wu, R.), 513, 539
Gelation of sickle cell hemoglobin, calorimetric and optical characterization, 239
— — — — nitrosyl hemoglobin, 733
Gels of hemoglobins S, birefringence intensity, 254
Gene *45* and hydroxymethyl-C-containing DNA; role of replication proteins in the regulation of bacteriophage T4 transcription, 513
— — — late transcription uncoupled from replication; role of replication proteins in the regulation of bacteriophage T4 transcription, 539
Gene *G* of bacteriophage ϕX174, nucleotide and amino acid sequences of the N (5′) terminal region, 703
Genetic studies with heteroduplex DNA of bacteriophage f1. Asymmetric segregation, base correction and implications for the mechanism of genetic recombination, 495
Genome of mouse, absence of DNA sequences related to the globin gene family, 783
Giorno, R., Stamato, T., Lydersen, B. & Pettijohn, D., Transcription *in vitro* of DNA in isolated bacterial nucleoids, 217
Globin gene family, related DNA sequences absent from the mouse genome, 783
Goodman, H. M. (see also Dugaiczyk, A.), 171

Harrison, D. P. & Bode, V. C., Putrescine and certain polyamines can inhibit DNA injection from bacteriophage λ, 461
HeLa cells, comparison of proteins bound to heterogeneous nuclear RNA and mRNA, 353
— —, identification of discrete electrophoretic components among the products of mitochondrial protein synthesis, 291
Hemoglobin gelation, sickle cell, calorimetric and optical characterization, 239
— S gels, birefringence intensity, 254
— —, nitrosyl, gelation, 733
Heteroduplex DNA of bacteriophage f1 used in genetic studies. Asymmetric segregation, base correction and implications for the mechanism of genetic recombination, 495

Hills, G. J., Phillips, J. M., Gay, M. R. & Roberts, K., Self-assembly of a plant cell wall *in vitro*, 431
Hirose, S. (see also Kurosawa, Y.), 653
Hoa, G. H. B. (see also Douzou, P.), 367
Hofrichter, J., An analysis of the birefringence intensity of gels of hemoglobin S (*Appendix* to Ross, P. D. *et al.*, 239), 254
— (see also Ross, P. D.), 239
Hunter, A. R. (see also Rudland, P. S.), 745
Hybridization, *in situ*, procedure for detection of heterologous DNA sequences in lambdoid phage, 455
Hybrids, interspecific, of *Xenopus laevis*/*X. mulleri*, mitochondrial ribosomal proteins, 119
Hydroxymethyl-C-containing DNA and gene *45*; role of replication proteins in the regulation of bacteriophage T4 transcription, 513

Ikemura, T., Shimura, Y., Sakano, H. & Ozeki, H., Precursor molecules of *Escherichia coli* tRNAs accumulated in a temperature-sensitive mutant, 69
Inhibition of DNA injection from bacteriophage by putrescine and certain polyamines, 461
—, specific, by novabiocin of semiconservative DNA replication in permeabilized *Escherichia coli* cells, 201
Injection of DNA from bacteriophage λ inhibited by putrescine and certain polyamines, 461
Inouye, M. (see also Silberstein, S.), 1
Integration reversal for mutator phage mu, 87
Intermediates, identification in the assembly of RNA polymerase in *Escherichia coli*, 257
Ishihama, A. (see also Ito, K.), 257
Ito, K., Iwakura, Y. & Ishihama, A., Biosynthesis of RNA polymerase in *Escherichia coli*. III. Identification of intermediates in the assembly of RNA polymerase, 257
Iwakura, Y. (see also Ito, K.), 257

Jones, K. W. & Murray, K., A procedure for detection of heterologous DNA sequences in lambdoid phage by *in situ* hybridization, 455

Ketner, G. & Campbell, A., Operator and promoter mutations affecting divergent transcription in the *bio* gene of *Escherichia coli*, 13
Klug, A. (see also Sperling, R.), 425
Kondoh, H. & Yanagida, M., Structure of straight flagellar filaments from a mutant of *Escherichia coli*, 641
Kumar, A. & Pederson, T., Comparison of proteins bound to heterogeneous nuclear RNA and mRNA in HeLa cells, 353
Kurosawa, Y., Ogawa, T., Hirose, S., Okazaki, T. & Okazaki, R., Mechanism of DNA chain growth. XV. RNA-linked nascent DNA pieces in *Escherichia coli* strains assayed with spleen exonuclease, 653

λ (see Bacteriophage), 139, 455, 461
lac repressor, circular dichroism studies and conformational prediction, 29
Lalitha, S. & Worthington, C. R., The swelling property of central nervous system nerves using X-ray diffraction, 625
Lambowitz, A. M. & Luck, D. J. L., Methylation of mitochondrial RNA species in the wild-type and *poky* strains of *Neurospora crassa*, 207
Late steps in the assembly of 30 S ribosomal proteins *in vivo* in a spectinomycin-resistant mutant of *Escherichia coli*, 443
Leister, D. E. & Dawid, I. B., Mitochondrial ribosomal proteins in *Xenopus laevis*/*X. mulleri* interspecific hybrids, 119
Ligation of *Eco*RI endonuclease-generated DNA fragments into linear and circular structures, 171
Long, M. M. (see also Urry, D. W.), 101
Low temperature protein crystallography: cryo-protective mother liquors for protein crystals, 381
— — — —: lysozyme-substrate complexes in cooled mixed solvents, 367
Luck, D. J. L. (see also Lambowitz, A. M.), 207
Lydersen, B. (see also Giorno, R.), 217
Lysozyme of bacteriophage T7, role during phage infection, 1

Lysozyme–substrate complexes in cooled mixed solvents; protein crystallography at sub-zero temperatures, 367
Lytically infected cells, comparison of viral RNA sequences with those in adenovirus 2-transformed cells, 47

Magnetic resonance studies, proton and carbon, of the synthetic polypentapeptide of elastin, 101
Manzi, A. (see also Coppo, A.), 579, 601
— (see also Takahashi, H.), 563
Marchis-Mouren, G. (see also Pichon, J.), 125
Martire, G. (see also Takahashi, H.), 563
Marvaldi, J. (see also Pichon, J.), 125
Messenger RNA, bound proteins compared with those bound to heterogeneous nuclear RNA in HeLa cells, 353
— — content of *Bacillus amyloliquefaciens* throughout its growth cycle compared with *Bacillus subtilis* 168, 345
— —, presumptive, accumulation and RNA metabolism, changes during transition from the growing to the quiescent state of cultured mouse fibroblasts, 745
— —, rapidly labelled, in *Bacillus amyloliquefaciens*, stability during the phases of minimum and maximum extracellular enzyme formation, 335
Messenguy, F. (see also Wolfner, M.), 273
Methylation of mitochondrial RNA species in the wild-type and *poky* strains of *Neurospora crassa*, 207
Mitchell, L. W. (see also Urry, D. W.), 101
Mitochondrial protein synthesis in HeLa cells, identification of discrete electrophoretic components, 291
— ribosomal proteins in *Xenopus laevis*/*X. mulleri* interspecific hybrids, 119
— RNA methylation in the wild-type and *poky* strains of *Neurospora crassa*, 207
Mother liquors, cryo-protective, for protein crystals; protein crystallography at sub-zero temperatures, 381
Mouse fibroblasts, cultured, changes in RNA metabolism and accumulation of presumptive mRNA during transition from the growing to the quiescent state, 745
— genome, absence of DNA sequences related to the globin gene family, 783
Mu (see Bacteriophage), 87
Murray, K. (see also Jones, K. W.), 455
Mutant of *Escherichia coli*, structure of straight flagellar filaments, 641
—, spectinomycin-resistent, of *Escherichia coli*, late steps in the assembly of 30 S ribosomal proteins *in vivo*, 443
— (*tab* D)-induced inhibition of bacteriophage T4 late transcription; genetic characterization of mutants, 601
— — — — — — — — —; isolation and phenotypic characterization of the mutants, 579
—, temperature-sensitive, accumulates precursor molecules of *Escherichia coli* tRNAs, 69
Mutations, operator and promoter, affecting divergent transcription in the *bio* gene cluster of *Escherichia coli*, 13
— (*tab*/*k*/*com*), lethal, conditional, affecting protein–protein interactions in bacteriophage T4-infected *Escherichia coli*, 563
Mutator phage mu, reversal of integration, 87

Nashimoto, H. & Uchida, H., Late steps in the assembly of 30 S ribosomal proteins *in vivo* in a spectinomycin-resistant mutant of *Escherichia coli*, 443
Nathanson, N. M. & Schleif, R., Paucity of sites mutable to constitutivity in the *araC* activator gene of the L-arabinose operon of *Escherichia coli*, 185
Nerves of central nervous system, swelling property studied by X-ray diffraction, 625
Neurospora crassa, methylation of mitochondrial RNA species in the wild-type and *poky* strains, 207
Nitrosyl hemoglobin S gelation, 733
Novobiocin: a specific inhibitor of semiconservative DNA replication in permeabilized *Escherichia coli* cells, 201
Nuclear RNA, heterogeneous, bound proteins compared with those bound to mRNA in HeLa cells, 353

Nucleoids, bacterial, isolated, transcription *in vitro* of DNA, 217
Nucleotide and amino acid sequences of the N (5′) terminal region of gene *G* of bacteriophage ϕX174, 703

Ogawa, T. (see also Kurosawa, Y.), 653
Ohnishi, T. (see also Urry, D. W.), 101
Okazaki, R. (see also Kurosawa, Y.), 653
Okazaki, T. (see also Kurosawa, Y.), 653
Operator and promoter mutations affecting divergent transcriptions in the *bio* gene cluster of *Escherichia coli*, 13
— DNA interaction with repressor of bacteriophage λ, electron microscopic study, 139
Optical and calorimetric characterization of sickle cell hemoglobin gelation, 239
Order, *in vivo*, of protein addition in the course of *Escherichia coli* 30 S and 50 S subunit biogenesis, 125
Ozeki, H. (see also Ikemura, T.), 69
ϕ80 (see Bacteriophage), 307
ϕX174 (see Bacteriophage), 703

PM2 (see Bacteriophage), 693
Pancreatic trypsin inhibitor, reduced, reactivities of the cysteine residues, 777
— — —′, the disulphide bond between cys-14 and cys-38; interactions between cysteine residues as probes of protein conformation, 767
Paul, J. (see also Young, B. D.), 783
Pederson, T. (see also Kumar, A.), 353
Petsko, G. A., Protein crystallography at sub-zero temperatures: cryo-protective mother liquors for protein crystals, 381
— (see also Douzou, P.), 367
Pettijohn, D. (see also Giorno, R.), 217
Phillips, J. M. (see also Hills, G. J.), 431
Phosphatase, alkaline, of *Escherichia coli*, analysis of its synthesis regulation using deletions and ϕ80 transducing phages, 307
Pichon, J., Marvaldi, J. & Marchis-Mouren, G., The *in vivo* order of protein addition in the course of *Escherichia coli* 30 S and 50 S subunit biogenesis, 125
Pirrotta, V. (see also Brack, C.), 139
poky and wild-type strains of *Neurospora crassa*, methylation of mitochondrial RNA species, 207
Polan, M. L. (see also Endow, S. A.), 665
Polymerase for RNA, assembly in *Escherichia coli*, identification of intermediates, 257
Precursor molecules of *Escherichia coli* tRNAs accumulated in a temperature-sensitive mutant, 69
— polypeptide proteolytic cleavage generates avian myeloblastosis virus structural proteins, 471
Precursors to tRNA in the posterior silkgland of *Bombyx mori*, isolation and characterization, 153
Promoter and operator mutations affecting divergent transcription in the *bio* gene cluster of *Escherichia coli*, 13
Protein addition order, *in vivo*, in the course of *Escherichia coli* 30 S and 50 S subunit biogenesis, 125
—conformation probed by interactions between cysteine residues: the disulphide bond between cys-14 and cys-38 of the pancreatic trypsin inhibitor, 767
— crystallography at sub-zero temperatures; cryo-protective mother liquors for protein crystals, 381
— — — —: lysozyme-substrate complexes in cooled mixed solvents, 367
— of the *dahlemense* strain of tobacco mosaic virus, states of aggregation and their relation to crystal formation, 425
— –protein interactions in bacteriophage T4-infected *Escherichia coli* affected by conditional lethal mutations (*tab/k/com*), 563
— synthesis, cell-free, and DNA–RNA hybridization used in analysis of bacteriophage T4 chloramphenicol RNA, and the effect of *Escherichia coli* polarity-suppressing alleles on its synthesis, 393
— —, mitochondrial, in HeLa cells, identification of discrete electrophoretic components, 291
Proteins bound to heterogeneous nuclear RNA compared with those bound to mRNA in HeLa cells, 353
— of mitochondrial ribosomes in *Xenopus laevis/X. mulleri* interspecific hybrids, 119
Proteins, replication, role in the regulation of bacteriophage T4 transcription; gene *45* and hydroxymethyl-C-containing DNA, 513

Proteins, replication, role in the regulation of bacteriophage T4 transcription; gene *45* and late transcription uncoupled from replication, 539
—, 30 S ribosomal, late steps in the assembly *in vivo* in a spectinomycin-resistent mutant of *Escherichia coli*, 443
—, structural, of avian myeloblastosis virus generation by proteolytic cleavage of a precursor polypeptide, 471
—, volume occupation, environment and accessibility. The problem of the protein surface, 721
Proteolytic cleavage of a precursor polypeptide generates avian myeloblastosis virus structural proteins, 471
Proton and carbon magnetic resonance studies of the synthetic polypentapeptide of elastin, 101
Pulitzer, J. F. (see also Coppo, A.), 579, 601
— (see also Takahashi, H.), 563
Putrescine and certain polyamines can inhibit DNA injection from bacteriophage λ, 461

Reactivities of the cysteine residues of the reduced pancreatic trypsin inhibitor, 777
Recombination, genetic, studied with heteroduplex DNA of bacteriophage f1, 495
Replication proteins, role in the regulation of bacteriophage T4 transcription; gene *45* and hydroxymethyl-C-containing DNA, 513
— — — — — — — — — —; gene *45* and late transcription uncoupled from replication, 539
—, semiconservative, of DNA in permeabilized *Escherichia coli* cells, specific inhibition by novobiocin, 201
Repressor, *lac*, circular dichroism studies and conformational prediction, 29
— of bacteriophage λ and its interaction with operator DNA, electron microscopic study, 139
RNA-linked nascent DNA pieces in *Escherichia coli* strains assayed with spleen exonuclease; mechanism of DNA chain growth, 653
—, messenger, content of *Bacillus amyloliquefaciens* throughout its growth cycle compared with *Bacillus subtilis* 168, 345
— —, rapidly labelled, in *Bacillus amyloliquefaciens*, stability during the phases of minimum and maximum extracellular enzyme formation, 335
— metabolism and accumulation of presumptive mRNA, changes during transition from the growing to the quiescent state of cultured mouse fibroblasts, 745
—, mitochondrial, methylation in the wild-type and *poky* strains of *Neurospora crassa*, 207
—, nuclear, heterogeneous, bound proteins compared with those bound to mRNA in HeLa cells, 353
— polymerase assembly in *Escherichia coli*, identification of intermediates, 257
—, T4 chloramphenicol, analysis by DNA–RNA hybridization and by cell-free protein synthesis, and the effect of *Escherichia coli* polarity-suppressing alleles on its synthesis, 393
—, transfer biosynthesis: isolation and characterization of precursors to tRNA in the posterior silkgland of *Bombyx mori*, 153
—, viral, sequences compared in adenovirus 2-transformed and lytically infected cells, 47
RNAs, transfer of *Escherichia coli*, precursor molecules accumulated in a temperature-sensitive mutant, 69
— proteins, mitochondrial, in *Xenopus laevis*/*X. mulleri* interspecific hybrids, 119
Ribosomal 30 S proteins, late steps in the assembly *in vivo* in a spectinomycin-resistent mutant of *Escherichia coli*, 443
Roberts, K. (see also Hills, G. J.), 431
Ross, P. D., Hofrichter, J. & Eaton, W. A., Calorimetric and optical characterization of sickle cell hemoglobin gelation, 239
Rudland, P. S., Weil, S. & Hunter, A. R., Changes in RNA metabolism and accumulation of presumptive mRNA during transition from the growing to the quiescent state of cultured mouse fibroblasts, 745

Saccharomyces cerevisiae, integration of amino acid biosynthesis into cell cycle, 273
Sakano, H. (see also Ikemura, T.), 69
Salhany, J. M. (see also Briehl, R. W.), 733
Sanger, F. (see also Air, G. M.), 703
Satellite DNA sequences of *Drosophila melanogaster*, 665
Schleif, R. (see also Nathanson, N. M.), 185
Self-assembly of a plant cell wall *in vitro*, 431
Sequences, DNA, heterologous, detected in lambdoid phage by *in situ* hybridization, 455
— —, related to the globin gene family absent from the mouse genome, 783

Sequences, early melting, relation to single-stranded regions in bacteriophage PM2 supercoiled DNA, 693
—, nucleotide and amino acid, of the N (5′) terminal region of gene *G* of bacteriophage ϕX174, 703
— of *Drosophila melanogaster* satellite DNAs, 665
— organisation in *Xenopus* DNA studied by the electron microscope, 317
—, viral RNA, compared in adenovirus 2-transformed and lytically infected cells, 47
Sharp, P. A. (see also Flint, S. J.), 47
Shimura, Y. (see also Ikemura, T.), 69
Sickle cell hemoglobin gelation, calorimetric and optical characterization, 239
— — nitrosyl hemoglobin, gelation, 733
Siddiqui, M. A. Q. (see also Chen, G. S.), 153
Silberstein, S., Inouye, M. & Studier, F. W., Studies on the role of bacteriophage T7 lysozyme during phage infection, 1
Silkglands, posterior, of *Bombyx mori*, isolation and characterization of precursors to tRNA, 153
Single-stranded regions in bacteriophage PM2 supercoiled DNA, relation to the early melting sequences, 693
Spectinomycin-resistant mutant of *Escherichia coli*, late steps in the assembly of 30 S ribosomal proteins *in vivo*, 443
Sperling, R. & Klug, A., States of aggregation of the *dahlemense* strain of tobacco mosaic virus protein and their relation to crystal formation, 425
Spleen exonuclease used in assay of RNA-linked nascent DNA pieces in *Escherichia coli* strains; mechanism of DNA chain growth, 653
Stability of rapidly labelled mRNA in *Bacillus amyloliquefaciens* during the phases of minimum and maximum extracellular enzyme formation, 335
Stamato, T. (see also Giorno, R.), 217
Staudenbauer, W. L., Novobiocin—a specific inhibitor of semiconservative DNA replication in permeabilized *Escherichia coli* cells, 201
Structures, linear and circular, from ligation of *Eco*RI endonuclease-generated DNA fragments, 171
Structure of straight flagellar filaments from a mutant of *Escherichai coli*, 641
Studier, F. W. (see also Silberstein, S.), 1
Supercoiled DNA of bacteriophage PM2, relation of single-stranded regions to the early melting sequences, 693
Swelling property of central nervous system nerves using X-ray diffraction, 625
Synthesis of *Escherichia coli* alkaline phosphatase, analysis of its regulation using deletions and ϕ80 transducing phages, 307

T4 (see Bacteriophage), 393, 513, 539, 563, 579, 601
T7 (see Bacteriophage), 1
tab D mutant-induced inhibition of bacteriophage T4 late transcription; genetic characterization of mutants, 601
— — — — — — —; isolation and phenotypic characterization of the mutants, 579
Takahashi, H., Coppo, A., Manzi, A., Martire, G. & Pulitzer, J. F., Design of a system of conditional lethal mutations (*tab*/*k*/*com*) affecting protein–protein interactions in bacteriophage T4-infected *Escherichia coli*, 563
— (see also Coppo, A.), 579, 601
Temperature-sensitive mutant accumulates precursor molecules of *Escherichia coli* tRNAs, 69
N (5′) Terminal region of gene G of bacteriophage ϕX174, nucleotide and amino acid sequences, 703
Tobacco mosaic virus, *dahlemense* strain, states of aggregation of protein and their relation to crystal formation, 425
Transcription, divergent, in the *bio* gene cluster of *Escherichia coli*, effect of operator and promoter mutations, 13
— *in vitro* of DNA in isolated bacterial nucleoids, 217
—, late, T4, inhibited by host *tab* D mutants; genetic characterization of mutants, 601
— — — — — — —; isolation and phenotypic characterization of the mutants, 579
— regulation for bacteriophage T4, role of replication proteins; gene *45* and hydroxymethyl-C-containing DNA, 513
— — — — — — —; gene *45* and late transcription uncoupled from replication, 539
Transfer RNA biosynthesis: isolation and characterization of precursors to tRNA in the posterior silkgland of *Bombyx mori*, 153
— RNAs of *Escherichia coli*, precursor molecules accumulated in a temperature-sensitive mutant, 69

Trypsin inhibitor, pancreatic, reduced, reactivities of the cysteine residues, 777
— — —, the disulphide bond between cys-14 and cys-38; interactions between cysteine residues as probes of protein conformation, 767

Uchida, H. (see also Nashimoto, H.), 443
Urry, D. W., Mitchell, L. W., Ohnishi, T. & Long, M. M., Proton and carbon magnetic resonance studies of the synthetic polypentapeptide of elastin, 101

Viral RNA sequences compared in adenovirus 2-transformed and lytically infected cells, 47
Virus, avian myeloblastosis, structural proteins generated by proteolytic cleavage of a precursor polypeptide, 471
—, *dahlemense* strain of tobacco mosaic, states of aggregation of protein and their relation to crystal formation, 425
Vogt, V. M., Eisenman, R. & Diggelmann, H., Generation of avian myeloblastosis virus structural proteins by proteolytic cleavage of a precursor polypeptide, 471
Volume occupation, environment and accessibility in proteins. The problem of the protein surface, 721
Vovis, G. F. (see also Enea, V.), 495

Weil, S. (see also Rudland, P. S.), 745
Wild-type and *poky* strains of *Neurospora crassa*, methylation of mitochondrial RNA species, 207
Wolfner, M., Yep, D., Messenguy, F. & Fink, G. R., Integration of amino acid biosynthesis into the cell cycle of *Saccharomyces cerevisae*, 273
Worthington, C. R. (see also Lalitha, S.), 625
Wu, R. & Geiduschek, E. P., The role of replication proteins in the regulation of bacteriophage T4 transcription. I. Gene *45* and hydroxy-methyl-C-containing DNA, 513
—, Geiduschek, E. P. & Cascino, A., The role of replication proteins in the regulation of bacteriophage T4 transcription. II. Gene *45* and late transcription uncoupled from replication, 539

Xenopus DNA, sequence organization studied by the electron microscope, 317
Xenopus laevis/*X. mulleri* interspecific hybrids, mitochondrial ribosomal proteins, 119
X-ray diffraction study of swelling property of central nervous system nerves, 625

Yanagida, M. (see also Kondoh, H.), 641
Yep, D. (see also Wolfner, M.), 273
Young, B. D. & Paul, J., Absence from the mouse genome of DNA sequences related to the globin gene family, 783
Young, E. T., Analysis of bacteriophage T4 chloramphenicol RNA by DNA–RNA hybridization and by cell-free protein synthesis, and the effect of *Escherichia coli* polarity-suppressing alleles on its synthesis, 393
Yuan, R. (see also Brack, C.), 693

Zinder, N. D. (see also Enea, V.), 495